



## Ground Sleeve External Halyard Flagpoles - 20 to 40 ft



Model Number G-#-E	GS-20	GS-24	GS-30	GS-35	GS-40
Above Ground Height (ft)	20	24	30	35	40
Length Below Grade (ft)	2	2.5	3	4	4
Total Length (ft)	22	26.5	33	39	44
Butt Diameter (in)	4.5	4.5	5.5	5.5	5.5
Top Diameter (in)	2.5	2.5	2.5	2.5	2.5
Flagpole Weight (lb)	27	34	58	70	92
Halyard (in)	1/4	1/4	5/16	5/16	5/16
Standard Flag Size (ft)	3 x 5	4 x 6	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	4 x 6	5 x 8	6 x 10	8 x 12	8 x 12
Foundation Size (in) w x d	20 x 30	20 x 36	24 x 40	24 x 54	30 x 54
Finial Diameter (in)	4	4	5	5	5
Unflagged Max. Wind Speed (mph)	150	140	130	120	120

All flagpoles shipped with finial, revolving truck, halyard, cleat, cleat screws, ground sleeve, flash collar, flag clips and instructions.


## Ground Sleeve External Halyard Flagpoles - 30 & 35 ft (7)



Model Number GS-#-E	GS-30(7)	GS-35(7)
Above Ground Height (ft)	30	35
Length Below Grade (ft)	3	4
Total Pole Length (ft)	33	39
Butt Diameter (in)	7	7
Top Diameter (in)	2.5	2.5
Flagpole Weight (lb)	70	80
Halyard (in)	5/16	5/16
Finial Diameter (in)	8	8
Standard Flag Size (ft)	5 x 8	5 x 8
Maximum Flag Size (ft)	6 x 10	8 x 12
Foundation Size (in) w x d	24 x 40	24 x 54
Unflagged Max. Wind Speed (mph)	190	180


All flagpoles shipped with finial, revolving truck, halyard, cleat, cleat screws, ground sleeve, flash collar, flag clips and instructions.

## Hinge Base External Halyard Flagpoles - 20 to 40 ft




Model Number HB-#-E	HB-20	HB-25	HB-30	HB-33	HB-35	HB-40
Above Ground Height	20	25	30	33	35	40
Anchor Rod Length (in)	19.5	19.5	19.5	19.5	19.5	19.5
Butt Diameter (in)	4.5	4.5	4.5	5.5	5.5	5.5
Top Diameter (in)	2.5	2.5	2.5	2.5	2.5	2.5
Flagpole Weight (lb)	31	38	44	62	66	75
Halyard (in)	1/4	1/4	5/16	5/16	5/16	5/16
Flash Collar (in)	14	14	14	14	14	14
Standard Flag Size (ft)	3 x 5	4 x 6	5 x 8	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	4 x 6	5 x 8	6 x 10	6 x 10	8 x 12	10 x 15
Foundation Size (in) w x d	20 x 32	20 x 40	26 x 44	26 x 50	26 x 50	26 x 56
Unflagged Max. Wind Speed (mph)	150	140	130	130	120	120

All flagpoles shipped with finial, revolving truck, halyard, cleat with screws, flash collar, flag clips, hinge base kit and instructions.



Base Plate

## Hinge Base External Halyard Flagpoles - 30 to 40 ft (7)




Model Number HB-#-E	HB-30 (7)	HB-35 (7)	HB-40 (7)
Above Ground Height (ft)	30	35	40
Anchor Rod Length (in)	19.5	19.5	19.5
Butt Diameter (in)	7	7	7
Top Diameter (in)	2.5	2.5	2.5
Flagpole Weight (lb)	115	125	135
Halyard (in)	5/16	5/16	5/16
Standard Flag Size (ft)	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	6 x 10	8 x 12	10 x 15
Foundation Size (ft) w x d	2.5 x 3	2.5 x 3	2.5 x 3
Finial Diameter (in)	8	8	8
Unflagged Max. Wind Speed (mph)	190	180	180

All flagpoles shipped with finial, revolving truck, halyard, cleat with screws, flash collar, flag clips, hinge base kit and instructions.




Base Plate

## Hinge Base External Halyard Flagpoles - 50 & 60 ft




Model Number HB-#-E	HB-50	HB-60
Above Ground Height (ft)	50	60
Anchor Rod Length (in)	31.5	31.5
Butt Diameter (in)	7	7
Top Diameter (in)	2.5	2.5
Flagpole Weight (lb)	198	231
Halyard Size (in)	5/16	5/16
Standard Flag Size (ft)	8 x 12	10 x 15
Maximum Flag Size (ft)	10 x 15	12 x 18
Foundation Size (ft) w x d	2.5 x 5	2.5 x 6
Finial Diameter (in)	8	8
Unflagged Max. Wind Speed (mph)	100	100

All flagpoles shipped with finial, revolving truck, halyard, cleat with screws, flash collar, flag clips, hinge base kit and instructions.



Base Plate


## Ground Sleeve Internal Halyard Clam Cleat Flagpoles - 20 to 40 ft



Model Number GS-#-IH/S	GS-20	GS-25	GS-30	GS-33	GS-35	GS-40
Above Ground Height	20	25	30	33	35	40
Anchor Rod Length (in)	19.5	19.5	19.5	19.5	19.5	19.5
Butt Diameter (in)	4.5	4.5	5.5	5.5	5.5	5.5
Top Diameter (in)	2.5	2.5	2.5	2.5	2.5	2.5
Flagpole Weight (lb)	31	38	44	62	66	75
Halyard (in)	1/4	1/4	5/16	5/16	5/16	5/16
Flash Collar (in)	14	14	14	14	14	14
Standard Flag Size (ft)	3 x 5	4 x 6	5 x 8	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	4 x 6	5 x 8	6 x 10	6 x 10	8 x 12	10 x 15
Yardarm Model	6.5	6.5	8	10	8	8
Foundation Size (in) w x d	20 x 32	20 x 40	26 x 44	26 x 50	26 x 50	26 x 56
Unflagged Max. Wind Speed (mph)	150	140	130	130	120	120

All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.

## Ground Sleeve Internal Halyard Clam Cleat Flagpoles - 30/35/40 ft (7)




Model Number GS-#-IH/S	GS-30 (7)	GS-35 (7)	GS-40 (7)
Above Ground Height (ft)	30	35	40
Anchor Rod Length (in)	19.5	19.5	19.5
Butt Diameter (in)	7	7	7
Top Diameter (in)	2.5	2.5	2.5
Flagpole Weight (lb)	115	125	135
Halyard Size (in)	5/16	5/16	5/16
Foundation Size (in) w x d	30 x 36	30 x 42	30 x 48
Finial Diameter (in)	8	8	8
Unflagged Max. Wind Speed (mph)	190	180	180

All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.




## Hinge Base Internal Halyard Clam Cleat Flagpoles - 20 to 40 ft




Model Number HB-#-IH/S	HB-20	HB-25	HB-30	HB-33	HB-35	HB-40
Above Ground Height	20	25	30	33	35	40
Anchor Rod Length (in)	19.5	19.5	19.5	19.5	19.5	19.5
Butt Diameter (in)	4.5	4.5	4.5	5.5	5.5	5.5
Top Diameter (in)	2.5	2.5	2.5	2.5	2.5	2.5
Flagpole Weight (lb)	31	38	44	62	66	75
Halyard (in)	1/4	1/4	5/16	5/16	5/16	5/16
Flash Collar (in)	14	14	14	14	14	14
Standard Flag Size (ft)	3 x 5	4 x 6	5 x 8	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	4 x 6	5 x 8	6 x 10	6 x 10	8 x 12	10 x 15
Yardarm Model	6.5	6.5	8	10	8	8
Foundation Size (in) w x d	20 x 32	20 x 40	26 x 44	26 x 50	26 x 50	26 x 56
Unflagged Max. Wind Speed (mph)	150	140	130	130	120	120

All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.





## Hinge Base Internal Halyard Clam Cleat Flagpoles - 30/35/40 ft (7)




Model Number HB-#-IH/S	HB-30 (7)	HB-35 (7)	HB-40 (7)
Above Ground Height (ft)	30	35	40
Anchor Rod Length (in)	19.5	19.5	19.5
Butt Diameter (in)	7	7	7
Top Diameter (in)	2.5	2.5	2.5
Flagpole Weight (lb)	115	125	135
Halyard Size (in)	5/16	5/16	5/16
Foundation Size (in) w x d	30 x 36	30 x 42	30 x 48
Finial Diameter (in)	8	8	8
Unflagged Max. Wind Speed (mph)	190	180	180

All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.




Base Plate

## Hinge Base Internal Halyard Winch Flagpoles - 20 to 40 ft




Detail of Internal Halyard Security Access




Model Number HB-#-IH/W	HB-20	HB-25	HB-30	HB-33	HB-35	HB-40
Above Ground Height	20	25	30	33	35	40
Anchor Rod (in)	19.5	19.5	19.5	19.5	19.5	19.5
Butt Diameter (in)	4.5	4.5	4.5	5.5	5.5	5.5
Top Diameter (in)	2.5	2.5	2.5	2.5	2.5	2.5
Flagpole Weight (lb)	30.8	37.4	44	61.6	65.5	74.8
Halyard (in)	1/4	1/4	5/16	5/16	5/16	5/16
Flash Collar (in)	14	14	14	14	14	14
Standard Flag Size (ft)	3 x 5	4 x 6	5 x 8	5 x 8	5 x 8	6 x 10
Maximum Flag Size (ft)	4 x 6	5 x 8	6 x 10	6 x 10	8 x 12	10 x 15
Yardam Model	6.5	6.5	8	10	8	8
Foundation Size (in) w x d	20 x 32	20 x 40	26 x 44	26 x 50	26 x 50	26 x 56
Unflagged Max. Wind Speed (mph)	150	140	130	130	120	120


All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.



## Hinge Base Internal Halyard Flagpoles - 30/35/40 ft (7)



Detail of Internal Halyard Security Access



Model Number HB-#-IH/W	HB-30 (7)	HB-35 (7)	HB-40 (7)
Above Ground Height (ft)	30	35	40
Anchor Rod Length (in)	19.5	19.5	19.5
Butt Diameter (in)	7	7	7
Top Diameter (in)	2.5	2.5	2.5
Flagpole Weight (lb)	115	125	135
Halyard Size (in)	5/16	5/16	5/16
Foundation Size (in) w x d	2.5 x 3	2.5 x 3.5	2.5 x 4
Finial Diameter (in)	8	8	8
Unflagged Max. Wind Speed (mph)	190	180	180

All flagpoles shipped with finial, revolving truck, halyard, hinge base kit, counter weight, crank handle, flag clips and instructions.



Base Plate

## Hinge Base Internal Halyard Winch Flagpoles - 50 & 60 ft

